Design iGuzzini

iGuzzini

Last information update: May 2024

Product configuration: MN52

MN52: Small body Spotlight - LED Warm White - Electronic ballast - Spot Optic

158

233



MN52: Small body Spotlight - LED Warm White - Electronic ballast - Spot Optic Attention! Code no longer in production

Technical description

Adjustable indoor spotlight with adapter for installation on mains electrified track, for high output LED lamp with monochrome emission in a warm white colour. Spot optic. Luminaire made of die-cast aluminium. Twin adjustability allows 360° rotation about the vertical axis and 90° tilting relative to the horizontal plane. Mechanical locks for aiming, for rotation on horizontal plane and around vertical axis. Equipped with electronic ballast.

116

Colour White (01) Black (04) Grey / Black (74)					Weight (Kg) 1.18						
Mounting three circ Wiring	•										
Electroni	c compone	nts housed	in the lun	ninaire.				0			
		for optical	C€	K a3	8	EAC	NOM-S		(n EN6059	98-1 and pertinent re	juiations

Technical data					
Im system:	2498	CRI (minimum):	90		
W system:	30.2	Colour temperature [K]:	3000		
Im source:	3200	MacAdam Step:	2		
W source:	28	Life Time LED 1:	> 50,000h - L80 - B10 (Ta 25°C)		
Luminous efficiency (Im/W,	82.8	Lamp code:	LED		
real value):		Number of lamps for optical	1		
Im in emergency mode:	-	assembly:			
Total light flux at or above	0	ZVEI Code:	LED		
an angle of 90° [Lm]:		Number of optical	1		
Light Output Ratio (L.O.R.) [%]:	78	assemblies:			
Beam angle [°]:	12°				

Polar

