

Last information update: April 2025

**Product configuration: N135**

N135: wall-washer luminaire - Ø 153 mm - warm white - frame

**Product code**

N135: wall-washer luminaire - Ø 153 mm - warm white - frame

**Technical description**

Recessed round wall-washer luminaire designed to use a LED lamp with C.O.B. technology. Version with rim for surface-mounting. Reflector vacuum-metallised with aluminium vapours and finished with a protective anti-scratch layer to create a vertical downward beam of light. Die-cast aluminium body and passive dissipation system. Product complete with C.O.B. LED lamp in warm white colour tone 3000K (CRI 90).

**Installation**

Recessed using torsion springs which allow easy installation in false ceilings with thickness ranging from 1 mm to 25 mm.

**Colour**

White / Aluminium (39)

**Weight (Kg)**

1.22

**Mounting**

ceiling recessed


**Wiring**

product complete with DALI components

**Notes**

TPb rated

Complies with EN60598-1 and pertinent regulations

**Technical data**

lm system:	1897.15	CRI:	90
W system:	31.2	Colour temperature [K]:	3000
lm source:	3450	MacAdam Step:	2
W source:	28	Life Time LED 1:	> 50,000h - L90 - B10 (Ta 25C)
Luminous efficiency (lm/W, real value):	60.81	Lamp code:	LED
lm in emergency mode:	-	Number of lamps for optical assembly:	1
Total light flux at or above an angle of 90° [Lm]:	0.0	ZVEI Code:	LED
Light Output Ratio (L.O.R.) [%]:	55	Number of optical assemblies:	1
Beam angle [°]:	74° / 64°	Control:	DALI-2