



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024011001607005

NAME AND ADDRESS OF THE APPLICANT

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND ADDRESS OF THE MANUFACTURER

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT NAME,MODEL AND SPECIFICATION

Recessed Luminaires For LED Modules (Ceiling Recessed, A.C. Supplied Electronic Controlgear For LED Modules, Class II, IP20/IP43, Suitable For Direct Mounting On Normally Flammable Material, Not Covered By Insulating Material, Controlled Port Dimming)
See Appendix ; 220/240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Feb.02,2024

Valid until: Feb.01,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. :2024011001607005

Appendix : Page 1 of 1

控制端口调光 (DALI 调光):

RD02 10.9W(2×(36×0.13W/LED)), RD03 15.7W(3×(36×0.13W/LED)),
RD05 12.9W(2×(36×0.16W/LED)), RD06 18.8W(3×(36×0.16W/LED)),
RD08 20.4W(2×(36×0.25W/LED)), RD14 10.9W(2×(36×0.13W/LED)),
RD15 15.7W(3×(36×0.13W/LED)), RD17 13.4W(2×(36×0.16W/LED)),
RD18 18.8W(3×(36×0.16W/LED)), RD20 20.4W(2×(36×0.25W/LED)),
RD26 10.4W(2×(36×0.12W/LED)), RD27 14.9W(3×(36×0.12W/LED)),
RD29 10.3W(2×(36×0.15W/LED)), RD30 17.7W(3×(36×0.15W/LED)),
RD32 19.3W(2×(36×0.24W/LED)), RD35 23.1W(2×(36×0.29W/LED)),
RD74 14.9W(2×(36×0.17W/LED)), RD89 20.4W(2×(36×0.25W/LED)),
RD95 20.4W(2×(36×0.25W/LED)), RE01 19.3W(2×(36×0.24W/LED)),
RE04 23.1W(2×(36×0.29W/LED)), RE62 20.4W(2×(36×0.25W/LED)),
RE66 20.4W(2×(36×0.25W/LED)), RE70 19.3W(2×(36×0.24W/LED)),
RE72 23.1W(2×(36×0.29W/LED)), RD09 30.6W(3×(36×0.25W/LED)),
RD11 24.7W(2×(36×0.31W/LED)), RD12 36.9W(3×(36×0.3W/LED)),
RD21 30.6W(3×(36×0.25W/LED)), RD23 24.7W(2×(36×0.31W/LED)),
RD24 36.9W(3×(36×0.3W/LED)), RD33 29W(3×(36×0.24W/LED)),
RD36 34.3W(3×(36×0.29W/LED)), RD90 30.6W(3×(36×0.25W/LED)),
RD92 24.7W(2×(36×0.31W/LED)), RD93 36.9W(3×(36×0.3W/LED)),
RD96 30.6W(3×(36×0.25W/LED)), RD98 24.7W(2×(36×0.31W/LED)),
RD99 36.9W(3×(36×0.3W/LED)), RE02 29W(3×(36×0.24W/LED)),
RE05 34.3W(3×(36×0.29W/LED)), RE64 24.7W(2×(36×0.31W/LED)),
RE68 24.7W(2×(36×0.31W/LED)).

220/240V~ 50/60Hz.

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号：2024011001607005

认证委托人名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产者名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品名称和系列、型号、规格

嵌入式LED灯具（嵌天花板式，LED模块用交流电子控制装置，II类，嵌入部分：IP20/外露部分：IP43，适宜直接安装在普通可燃材料表面，不能被隔热材料覆盖，控制端口调光）

见附页；220/240V~ 50/60Hz

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB 7000.1-2015; GB 7000.202-2008

上述产品符合《强制性产品认证实施规则 照明电器》（CNCA-C10-01:2014）的要求，特发此证。

发证日期：2024年02月02日 有效期至：2029年02月01日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2024011001607005

证书附页：第 1 页 共 1 页

控制端口调光 (DALI 调光):

RD02 10.9W(2×(36×0.13W/LED)), RD03 15.7W(3×(36×0.13W/LED)),
RD05 12.9W(2×(36×0.16W/LED)), RD06 18.8W(3×(36×0.16W/LED)),
RD08 20.4W(2×(36×0.25W/LED)), RD14 10.9W(2×(36×0.13W/LED)),
RD15 15.7W(3×(36×0.13W/LED)), RD17 13.4W(2×(36×0.16W/LED)),
RD18 18.8W(3×(36×0.16W/LED)), RD20 20.4W(2×(36×0.25W/LED)),
RD26 10.4W(2×(36×0.12W/LED)), RD27 14.9W(3×(36×0.12W/LED)),
RD29 10.3W(2×(36×0.15W/LED)), RD30 17.7W(3×(36×0.15W/LED)),
RD32 19.3W(2×(36×0.24W/LED)), RD35 23.1W(2×(36×0.29W/LED)),
RD74 14.9W(2×(36×0.17W/LED)), RD89 20.4W(2×(36×0.25W/LED)),
RD95 20.4W(2×(36×0.25W/LED)), RE01 19.3W(2×(36×0.24W/LED)),
RE04 23.1W(2×(36×0.29W/LED)), RE62 20.4W(2×(36×0.25W/LED)),
RE66 20.4W(2×(36×0.25W/LED)), RE70 19.3W(2×(36×0.24W/LED)),
RE72 23.1W(2×(36×0.29W/LED)), RD09 30.6W(3×(36×0.25W/LED)),
RD11 24.7W(2×(36×0.31W/LED)), RD12 36.9W(3×(36×0.3W/LED)),
RD21 30.6W(3×(36×0.25W/LED)), RD23 24.7W(2×(36×0.31W/LED)),
RD24 36.9W(3×(36×0.3W/LED)), RD33 29W(3×(36×0.24W/LED)),
RD36 34.3W(3×(36×0.29W/LED)), RD90 30.6W(3×(36×0.25W/LED)),
RD92 24.7W(2×(36×0.31W/LED)), RD93 36.9W(3×(36×0.3W/LED)),
RD96 30.6W(3×(36×0.25W/LED)), RD98 24.7W(2×(36×0.31W/LED)),
RD99 36.9W(3×(36×0.3W/LED)), RE02 29W(3×(36×0.24W/LED)),
RE05 34.3W(3×(36×0.29W/LED)), RE64 24.7W(2×(36×0.31W/LED)),
RE68 24.7W(2×(36×0.31W/LED)).

220/240V~ 50/60Hz.

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心