



Collection of ceiling mounted luminaire for diffused lighting. Cup satisfy the lighting requirements of a vast range of environments, including restaurants, bars, retail areas, hotels and domestic spaces. Design by Roberto Pamio.

Luminaire characteristic:

Power input: 13W
Lumens: 1200 or 1300lm (for 3000K, 80CRI)
Luminaire efficacy: Up to 100lm/W

Source: BRIDGELUX V13 LED module (LM-80 tested)
3000K : 80CRI or 90CRI,
3500K : 80CRI,
4000K : 80CRI.

Lumen maintenance: 90% of initial lumens at 100 000 hours (L90), (LM79 tested).

Optic: General lighting

Material: Body: Die-cast aluminum
Diffuser: Transparent pressed glass with an internal satin finish.

Mounting: Installs on a standard 4" junction box.
Supplied with 6.5' (2000mm) long steel suspension cable.

Electrical: Universal high efficiency electronic power supply, rated at 50 000 hours, 120 or 120-277V.

Dimming: Leading edge (TRIAC), Trailing edge (ELV) down to 15% (for 120V only)

Finish: Gray (RAL9006) or White (RAL9010) painted finish.

Weight: 3.4 to 4.4lbs (1.52 to 1.99kg).

Warranty: 5 year limited warranty.


Rating: IP20

Certification: cULus listed for Damp location




DIMENSIONS

CUP 100




CUP 120





PHOTOMETRIC DATA

Visit iguzzini.com/us for complete photometric data.


LOAD (W)	CCT (K)	CRI	OPTIC	LUMENS (lm)	EFFICACY (lm / w)	MAX CANDELA (cd)	MODELS
13W	3000K	80	General Lighting	1240	95	665	I.MQ96
				1300	100	645	I.MQ95



3000K - 80 CRI - Cup 100 - IMQ96



3000K - 80 CRI - Cup 120 - IMQ95



ORDERING INFO

- - - -
FIXTURE

MODEL

- ☐ **I.MQ95** - Cup 120 ☐ **I.MQ96** - Cup 100

LED

- ☐ **830** - 3000K, 80 CRI ☐ **835** - 3500K, 80 CRI
☐ **930** - 3000K, 90 CRI ☐ **840** - 4000K, 80 CRI

VOLTAGE

- ☐ **UNV** - 120-277V ☐ **120** - 120V

FINISH

- ☐ **01** - White ☐ **10** - Gray

DIMMING

- ☐ **LTE** - Leading and Trailing edge
dimming (120V only) (down to 15%)*

*Dimming levels will vary depending on the dimmer used and the number of luminaires on the line.